

## 査読有りの学術論文（国際会議も含む）

1. 沢新之輔, 小野和雄, 都築伸二, 漁島直, “銀イオン拡散型ガラス光導波路の屈折率分布の推定法,” 電子通信学会論文誌, vol.J69-C, no.6, pp.789–792, June 1986 (昭.61.6).
2. Y.Kida, S.Tsuzuki, K.Takayama, A.Natsume, K.Kitajima, and I.Yoshida, “FDDI Based 100Mbps Fiber LAN,” IEEE Tokyo Secton, Denshi Tokyo, 28, pp.22–26, 1989 (平.1).
3. (1) S. Tsuzuki, T. Aibara, S. Tazaki, and Y. Yamada, “Error Rate Improvement of Power Line SS Communication System with FM-V5 Code and PRML Technique,” IEICE Trans. Fundamentals, vol.E75-A, 9, pp.1116–1123, Sept. 1992 (平.4.9).
4. S.Tazaki, M.Noguchi, Y.Yamada, S.Tsuzuki, “PRML Method on 4/15 Code and 4/11 Code,” IEEE Translation Journal on Magnetics in Japan, vol.8, no.9, pp.644–651, Sept. 1993 (平.5.9).
5. S.Tazaki, T.Takashima, Y.Yamada, and S.Tsuzuki, “Bit Error Rate Characteristics of 3B2T Code and 4B3T Code,” IEEE Translation Journal on Magnetics in Japan, vol.8, no.9, pp.652–659, Sept. 1993 (平.5.9).
6. S.Tazaki, M.Pinandido, Y.Yamada, and S.Tsuzuki, “Error Characteristics of FM Family Codes using PRML,” IEEE Translation Journal on Magnetics in Japan, vol.8, no.9, pp.660–665, Sept. 1993 (平.5.9).
7. S.Tazaki, M.Noguchi, S.Yoshino, S.Tsuzuki, and Y.Yamada, “Performance Comparison of Recording Codes Based on Sampled Servo Format,” Proc. 1994 IEEE International Conference on Communications, pp.1809–1813, May 1994 (平.6.5).
8. S.Tazaki, T.Takashima, S.Tsuzuki, and Y.Yamada, “A Reliable Signal Detection Method for the Combination of PRML Method and Ternary Recording Code,” Proc. 1994 IEEE International Symposium of Information Theory, p.214, June 1994 (平.6.6).
9. (2) S.Tsuzuki, K.Mizumoto, S.Tazaki, and Y.Yamada, “Error Correction Using IFMV9 Coded Overlapped PN Sequence for Power Line SSMA,” Proc. the IEEE Third International Symposium on Spread Spectrum Techniques & Applications, Oule, Finland, pp.258–261, July 1994 (平.6.7).
10. S.Tazaki, H.Sasachika, Y.Yamada, and S.Tsuzuki, “PRML Characteristics using Schneider-type Write Equalization,” Journal of the Magnetics Society of Japan, vol.18, Supplement, no.S1, pp.559–562, Oct. 1994 (平.6.10).

11. S.Tazaki, S.Yoshino, S.Tsuzuki, and Y.Yamada, “Optimization of Dataword Assignment on 3B2T Recording Code,” Proc. the First Magneto-Electronics International Symposium, pp.301–303, Nov. 1994 (平.6.11).
12. S.Tazaki, T.Koyama, S.Tsuzuki, and Y.Yamada, “Performance Evaluation of Noise Model for Disk Media to Linear Density Increment,” Proc. the First Magneto-Electronics International Symposium, pp.391–395, Nov. 1994 (平.6.11).
13. S.Tazaki, T.Koyama, S.Tsuzuki, and Y.Yamada, “A Survey of BER Improvement on FM Family Code,” Proc. 1994 International Symposium on Information Theory & Its Applications, Sydney, Australia, pp.971–975, Nov. 1994 (平.6.11).
14. (3) S.Tsuzuki, S.Osaki, S.Tazaki, and Y.Yamada, “Periodic Correlation Properties of FM Coded M Sequences Having DC Free Spectrum,” IEICE Trans. Fundamentals, vol.E78-A, no.9, pp.1127–1135, Sept. 1995 (平.7.9).
15. F.Mumba, S.Tsuzuki, Y.Yamada, and S.Tazaki, “Throughput Analysis of Slotted Nonpersistent and One-Persistent CSSS/OD (Carrier Sense Spread Spectrum with Overload Detection) Protocols,” IEICE Trans. Fundamentals, vol.E78-A, no.9, pp.1220–1224, Sept. 1995 (平.7.9).
16. (4) S.Tsuzuki, K.Mizumoto, S.Tazaki, and Y.Yamada, “Multiple Access Performance of Differential DS/SS Systems for Power Line Data Transmission,” IEEE Global Telecommunications Conference, Singapore, pp.1126–1130, Nov. 1995 (平.7.11).
17. S.Tazaki, S.Tsuzuki, and Y.Yamada, “FM Family Code,” Proc. 1995 IEEE Global Telecommunication Conference, Singapore, pp.1394–1401, Nov. 1995 (平.7.11).
18. H.Mizuki, Y.Yamada, S.Tazaki, and S.Tsuzuki, “Motion Compensation Using the Affine Transform Model Derived by Motion Vectors,” Proc. International Picture Coding Symposium, Melbourne, Australia, pp.659–661, Mar. 1996 (平.8.3).
19. S.Tazaki, S.Yoshino, S.Tsuzuki, and Y.Yamada, “Performance Comparisons of Multi-level Codes for High Density MO Recording,” Proc. IEEE International Conference on Communications, pp.1538–1541, June 1996 (平.8.6).
20. S.K.Podder, S.Tazaki, S.Tsuzuki, and Y.Yamada, “Classification of Japanese Phonemes Using Hidden Markov Models,” Proc. 1996 IEEE International Symposium on Information Theory and Its Applications, Victoria, B.C., Canada, pp.274–277, Sept. 1996 (平.8.9).
21. F.N.Mumba, S.Tsuzuki, Y.Yamada, and S.Tazaki, “Delay-Throughput Analysis of a Slotted Non-persistent Carrier Sense Spread Spectrum with Overload Detection or

- NP-CSSS/OD Protocol," Proc. 1996 IEEE International Symposium on Information Theory and Its Applications, Victoria, B.C., Canada, pp.521–525, Sept. 1996 (平.8.9).
22. (5) S.Tsuzuki, S.Tazaki, and Y.Yamada, "BER Performance of Baseband DS/SSMA Using FM Coded M Sequences in Bandwidth Limited Channels," Proc. IEEE Fourth International Symposium on Spread Spectrum Techniques & Applications, Mainz, Germany, pp.1102–1107, Sept. 1996 (平.8.9).
  23. (6) S.Tsuzuki, S.Yoshida, S.Tazaki, and Y.Yamada, "A Class of Partial Response Spread M sequence and its Correlation Property," Proc. International Symposium on Power-Line Communications and its Applications, Essen, Germany, ISBN90-74249-11-6, pp.99–103, Apr. 1997 (平.9.4).
  24. S.Tazaki, Y.Oda, S.Tsuzuki, and Y.Yamada, "An Example of a Two-Dimensional Code Satisfying the Relationship  $k < d$ ," Proc. 1997 IEEE International Conference on Consumer Electronics, WPM8.7, pp.126–127, June 1997 (平.9.6).
  25. S.Tazaki, K.Yanagihara, T.Suekane, S.Tsuzuki, and Y.Yamada, "An Analysis of TCPR Systems with a PRI Channel," Journal of the Magnetics Society of Japan, vol.21, Supplement, no.S2, pp.411–414, July 1997 (平.9.7).
  26. (7) S.Tsuzuki, S.Yoshida, S.Tazaki, and Y.Yamada, "Modified Antisymmetric M sequence and its Periodic Correlation Property," IEICE Trans. Fundamentals, vol.E80-A, no.11, pp.2180–2191, Nov. 1997 (平.9.11).
  27. (8) 都築伸二, 山田芳郎, 田崎三郎, 吉田進, "非同期ネットワークでの音声同期再生とVSAT衛星回線中継器への実装," 電気学会論文誌 C, vol.117-C, no.11, pp.1557–1565, Nov. 1997 (平.9.11).
  28. (9) S.Tsuzuki, S.Ohtsuka, F.N.Mumba, Y.Yamada, and S.Tazaki, "A Carrier Sensing CDMA Protocol Coexistable with a CSMA/CD Protocol," Proc. IEEE Malaysia International Conference on Communication, Kuala Lumpur, Malaysia, pp.S7.2.1–S7.2.7, Nov. 1997 (平.9.11).
  29. S.Ohtsuka, S.Tsuzuki, Y.Yamada, and S.Tazaki, "A Stream Data Gateway Based on a Carrier Sense Multi-rate CDMA Protocol," Proc. International Symposium on Information Theory & its Applications, Mexico City, Mexico, vol.2, pp.483–486, Oct. 1998 (平.10.10).
  30. H.Kouzai, S.Tazaki, S.Tsuzuki, and Y.Yamada, "A Study of DFE System with a New Error Corrector on  $d = 1$  Channel," Proc. 1998 International Symposium on Information Theory & its Applications, Mexico City, Mexico, vol.2, pp.423–426, Oct. 1998 (平.10.10).

31. 山田, 都築 “アフィン変換モデルを用いた動き検出のための簡易なアルゴリズム,” 映像情報メディア学会誌, Vol.53, No.6, pp.913–916, June 1999.
32. 山田, 都築, “帯域制限補間モデルを用いた連続的なテンプレートマッチング手法,” 映像情報メディア学会誌, Vol.53, No.10, pp.1445–1448, Oct. 1999.
33. (10) S.Tsuzuki and Y.Yamada, “Utilization and Delay Performance Analysis of Carrier Sense CDMA Protocol,” the 4th International Symposium on Power-Line Communications (ISPLC 2000), Ireland, on 5th-7th April, 2000. (Dec. 1999 Accepted)

#### その他（著書と解説）

1. (分著) 都築伸二, 田崎三郎, “大学間共同衛星通信実験, 3.7 節 VSAT 衛星回線を用いたインターネット Audio-cast に関する実験,” 電子情報通信学会誌, vol.80, no.5, pp.448–450, May 1997 (平.9.5).
2. 都築(分担執筆)、改訂 電子情報通信用語辞典、電子情報通信学会編、コロナ社、ISBN4-339-00706-4, 1999.
3. 都築伸二、“スペクトル拡散技術の新たな展開 – 電力線搬送のホームネットワークへの適用 –,” システム制御情報学会誌、vol.43, No.12, pp.637–643, Dec. 1999.